COARSE GRAIN SUGAR

The Most Popular Choice

Here's a sugar product that you won't miss! Available almost everywhere and at every retail outlets in Malaysia. This sugar delivers an excellent taste, making it the ideal sugar to be used for general sweetening.

Sugar Grades

- Gula Prai Pasir Kasar (Coarse Grain Sugar)
- P1
- EP1

Ingredient

• 100% natural cane sugar

Storage Condition

 Keep sugar in a cool and dry place at ambient temperature



Packaging Sizes

- 500 g
- 1 kg
- 2 kg
- 25 kg
- 50 kg
- **500** kg
- 1,000 kg

PRODUCT SPECIFICATIONS

PARAMETER	UNIT	SPECIFICATION
Loss On Drying (Moisture)	%	Max. 0.040
Polarization	Z	Min. 99.50
Reducing Sugar	%	Max. 0.020
Conductivity Ash	%	Max. 0.015
Colour	I.U.	Max. 150
Mean Aperture	mm	0.95 - 1.35
Copper	pmm	Max. 2
Arsenic	pmm	Max. 1
Lead	pmm	Max. 0.5
Sulphur Dioxide	pmm	Max. 5



FINE GRANULATED SUGAR

Guaranteed to Sweeten Your Day

Another hot selling sugar product! Great to be enjoyed with your favourite beverage and home food preparation.

Sugar Grades

- Gula Prai Pasir Halus (Fine Granulated Sugar)
- PXX
- P1S
- EPXX
- EP1S

Ingredient

100% natural cane sugar

Storage Condition

 Keep sugar in a cool and dry place at ambient temperature



Packaging Sizes

- 1 kg
- 2 kg
- 25 kg
- 30 kg
- 50 kg
- **500** kg
- 1,000 kg
- Bulk

PRODUCT SPECIFICATIONS

PARAMETER	UNIT	SPECIFICATION
Loss On Drying (Moisture)	%	Max. 0.040
Polarization	Z	Min. 99.90
Reducing Sugar	%	Max. 0.015
Conductivity Ash	%	Max. 0.015
Colour	I.U.	Max. 20
Mean Aperture	mm	0.50 - 0.70
Copper	pmm	Max. 2
Arsenic	pmm	Max. 1
Lead	pmm	Max. 0.5
Sulphur Dioxide	pmm	Max. 5



SOFT BROWN SUGAR

Extra Depth & Sweetness

Moist with small, fine crystals and has a subtle golden colour. Ideal for baking delicious cookies and cakes, when a fuller flavour is needed. It goes perfectly well with coffee too.

Sugar Grades

- Gula Prai Merah Lembut (Soft Brown Sugar)
- PB
- P4

Ingredient

• 100% natural cane sugar

Storage Condition

Keep sugar in a cool and dry place at ambient temperature



Packaging Sizes

- 500 g
- 25 kg
- 50 kg

PRODUCT SPECIFICATIONS

PARAMETER	UNIT	SPECIFICATION
Loss On Drying (Moisture)	%	Max. 2.000
Polarization	Z	Min. 95
Colour	I.U.	1500 - 3500
	I.U.	3500 - 5500



CASTER SUGAR

The Baker's Natural Choice

Popular with bakers because the fine crystal cream very easily into butter and dissolve more readily into meringues and batters. Caster sugar adds more volume to baked products, giving them a lighter texture, a result preferred by bakers. It's also perfect to be lightly sprinkled over baked goods.

Sugar Grade

Gula Prai Kastor (Caster Sugar)

Ingredient

• 100% natural cane sugar

Storage Condition

 Keep sugar in a cool and dry place at ambient temperature



Packaging Sizes

- 500 g
- 25 kg
- 50 kg
- 1,000 kg

PRODUCT SPECIFICATIONS

PARAMETER	UNIT	SPECIFICATION
Loss On Drying (Moisture)	%	Max. 0.050
Polarization	Z	Min. 99.85
Reducing Sugar	%	Max. 0.020
Conductivity Ash	%	Max. 0.015
Colour	I.U.	Max. 35
Retained on 0.50 mm	%	Max. 15
Copper	pmm	Max. 2
Arsenic	pmm	Max. 1
Lead	pmm	Max. 0.5
Sulphur Dioxide	pmm	Max. 5



ICING SUGAR

Finest Powdered Sugar

No cake would be complete without it! A versatile ingredient in sweet bakery, sugar and chocolate confectionary, it provides a smooth, soft finish texture. It's also great for cream fillings, shortbread, fondants, marshmallow and adding decorative touches.

Sugar Grade

Gula Prai Icing (Icing Sugar)

Ingredients

98% natural cane sugar2% corn flour

Storage Condition

 Keep sugar in a cool and dry place at ambient temperature



Packaging Sizes

- 500 g
- 25 kg
- 40 kg

PRODUCT SPECIFICATIONS

PARAMETER	UNIT	SPECIFICATION
Loss On Drying (Moisture)	%	Max. 0.300
Polarization	Z	Min. 97.50
Reducing Sugar	%	Max. 0.030
Conductivity Ash	%	Max. 0.015
Colour	I.U.	Max. 50
Starch (by weight)	%	Max. 2
Copper	pmm	Max. 2
Arsenic	pmm	Max. 1
Lead	pmm	Max. 0.5
Sulphur Dioxide	pmm	Max. 5



SUPER PREMIUM

Super Sugar for Super User Like You!

It is refined to an exceptional level, resulting in a pure, uniform white colour and enhanced sweetness. An ideal choice for use in all culinary creations, from confectionery to baking and beverages. Try premium sugar today and experience the difference in taste and quality.

Sugar Grades

 Gula Prai Super Pasir Kasar (Super Coarse Grain Sugar)

Ingredient

100% natural cane sugar

Storage Condition

 Keep sugar in a cool and dry place at ambient temperature



Packaging Sizes

• 1 kg

PRODUCT SPECIFICATIONS

PARAMETER	UNIT	SPECIFICATION
Loss On Drying (Moisture)	%	Max. 0.040
Polarization	Z	Min. 99.85
Reducing Sugar	%	Max. 0.020
Conductivity Ash	%	Max. 0.015
Colour	I.U.	Max. 40
Mean Aperture	mm	0.95 - 1.35
Copper	pmm	Max. 2
Arsenic	pmm	Max. 1
Lead	pmm	Max. 0.5
Sulphur Dioxide	pmm	Max. 5



CUBE SUGAR

Unique appeal for aesthetic user

Cube sugar may not be as commonly used as granulated sugar in all settings but it has a unique charm and practicality that make it a preferred choice for specific situations, often related to aesthetics, tradition and convenience.

Sugar Grades

 Gula Prai Pasir Halus (Fine Granulated Sugar)

Ingredient

• 100% natural cane sugar



Packaging Sizes

• 5g x 100 cube

Storage Condition

Keep sugar in a cool and dry place at ambient temperature

PRODUCT SPECIFICATIONS

PARAMETER	UNIT	SPECIFICATION
Loss On Drying (Moisture)	%	Max. 0.400
Polarization	Z	Min. 99.50
Reducing Sugar	%	Max. 0.015
Conductivity Ash	%	Max. 0.015
Colour	I.U.	Max. 45
Mean Aperture	mm	0.50 - 0.70
Copper	pmm	Max. 2
Arsenic	pmm	Max. 1
Lead	pmm	Max. 0.5
Sulphur Dioxide	pmm	Max. 5



QUALITY CUP PACK SUGAR

Sweet convenience

Sugar sachet offers a practical and convenient solution for individuals, businesses and food establishments to manage and provide sugar in a controlled, hygienic and efficient manner. Suitable for those who wants to do portion control, easy to carry and use on-the-go.

Sugar Grades

 Gula Prai Pasir Halus (Fine Granulated Sugar)

Ingredient

100% natural cane sugar




Storage Condition

Keep sugar in a cool and dry place at ambient temperature

PRODUCT SPECIFICATIONS

PARAMETER	UNIT	SPECIFICATION
Loss On Drying (Moisture)	%	Max. 0.050
Polarization	Z	Min. 99.50
Reducing Sugar	%	Max. 0.015
Conductivity Ash	%	Max. 0.015
Colour	I.U.	Max. 45
Mean Aperture	mm	0.50 - 0.70
Copper	pmm	Max. 2
Arsenic	pmm	Max. 1
Lead	pmm	Max. 0.5
Sulphur Dioxide	pmm	Max. 5



• 5g x 100 sachet